

Notice of Allowability	Application No.	Applicant(s)	
	10/718,246	AMARI, DOMINICK	
	Examiner	Art Unit	
	Jong-Suk (James) Lee	3673	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-20</u> .			
3. The drawings filed on 18 November 2003 are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements</li> </ul>			
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	5. ☐ Notice of Informal P. 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☒ Examiner's Amendn 8. ☒ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	·

Application/Control Number: 10/718,246

Art Unit: 3673

## EXAMINER'S AMENDMENT/COMMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## IN THE CLAIM

Claim 7, line 2: "cabled" has been changed to -- cables --.

Claim 15, lines 3-4: "said riprap until said quantity of quantity of fill soils" has been changed to -- said quantity of riprap until said quantity of fill soils --.

2. The following is an examiner's statement of reasons for allowance: The prior art of record fails to disclose or fairly suggest an artificial reef/island and method of construction, the reef/ island comprising an outer fence being surrounded by a plurality of piles driven into the bed of a water body in a pattern, a plurality of wire mesh sheets being attached to the piles forming an enclosure, a riprap material being placed within the enclosure, a fill soil placed on top of the riprap material above the surface of the water and the piles being attached with a plurality of tieback cables therebetween and as specifically called for the claimed combinations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 10/718,246

Art Unit: 3673

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jong-Suk (James) Lee whose telephone number is (703) 308-6777. The examiner can normally be reached between the hours of 6:30 AM to 3:00 PM Monday thru Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather C. Shackelford, can be reached on (703) 308-2978. The fax phone number for this Group is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-2168.

J. Lee /jjl August 9, 2004

> Jong-Suk (James) Lee Primary Examiner Art Unit 3673